

Wendelighting optical projectors offer the architect, lighting engineer and interior designer the ultimate in controlled illumination for interior settings.

The Wendel® projector combines an optical system of precision ground lenses, reflector and a unique light masking technique. In addition to three condensing lenses, the projectors are factory assembled with a custom combination of objective lenses to meet the beam spread requirement. The result is a highly intensified light that is artistically confined to the exact area of interest regardless of shape.

Typical applications include: large paintings, sculpture, antiques, religious articles, trophies, furniture and various other architectural focal points. Frequently one projector is used to provide separate light maskings for multiple objects.

Consultations

Jacksen International Ltd. manufactures and offers optional installation for the equipment described in this bulletin. In addition, staff members are available for consultation. For further information, please write or call.



Model 2346

SPECIFICATIONS

Applications: Large focal points, paintings, sculpture and tables

Power: 120 VAC

Lamp: Specify Quartz 250 or 400 Watt Q/CL mini-can screw base 2000 hr. life

Weight: 9 lbs.

Objective Lenses: Preset by Factory

Condensing Lens: 3

Spherical Reflector: 1

Construction: Cast Aluminum

Relamping: Does not change focus


Listings:
250 Watt Listing UL / CUL – Damp Location – Non IC – Not Air Tight
400 Watt Listing UL / CUL – Damp Location – Non IC – Not Air Tight

Accessory: FADE IN® Optics For A loosely Conforming Border

DIAMETER OF SPOT AND FOOT CANDLES (400 WATT)																												
Distance to Object		1'		2'		3'		4'		5'		6'		7'		8'		9'		10'		15'		25'		50'		
Application	Objective Lens FL	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Size of Spot	Foot Cand.	Spread of Beam
Narrow Beam	230	3"	5500	6"	1400	9"	650	12"	350	15"	240	18"	160	21"	120	24"	90	27"	72	30"	58	45"	26	75"	10	150"	-	14°
	192	4"	4500	8"	1100	12"	500	16"	280	20"	180	24"	125	28"	90	32"	70	36"	50	40"	45	60"	20	100"	7	200"	-	20°
Wide Beam	96	8"	2200	16"	550	24"	250	32"	140	40"	90	48"	60	56"	45	64"	35	72"	28	80"	22	120"	10	200"	-	400"	-	37°
	48	12"	630	24"	160	36"	70	48"	40	60"	25	72"	15	84"	12	96"	10	108"	8	120"	6	180	-	300"	-	600"	-	55°

Model 2346

DIMENSIONS



HOW TO SPECIFY

The name Wendelighting is registered to Jacksen International Ltd., Monrovia, California. The name encompasses Wendel® optical projectors as well as

other types of Wendel lighting fixtures for both interior and exterior use. To specify, please visit www.wendelighting.com or contact our staff members.



WENDELIGHTING®

DIVISION OF JACKSEN INTERNATIONAL LTD